



PATENT
P56382

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

JOO-HYOUNG LEE *et al.*

Serial No.: 09/885,100

Examiner: TRAN, TRANG U.

Filed: 21 June 2001

Art Unit: 2614

For: DISPLAYING APPARATUS AND METHOD FOR CONTROLLING THE
SAME

EXAMINER INTERVIEW SUMMARY RECORD

Paper No. 12


Commissioner for Patents
P.O.Box 1450
Alexandria, VA 22313-1450

Sir:

Per a telephone discussion with the Examiner, Ms. Trang U. Tran and a separate telephone discussion with the Examiner's supervisor, Mr. John W. Miller, on the 2nd of February 2005, it is Applicants' understanding that the Applicants' Request for Clarification and Restart of Period for Response filed in the U.S. Patent & Trademark Office on 30 December 2004 in response to the Office action mailed on 3 November 2004 (Paper No. 20041021) has not yet been scanned, that the Request for Clarification has not yet been placed in the file, and that the Examiner therefore has not yet examined the Request for Clarification and Restart of Period for Response filed on 30 December 2004.

If the Applicants' understanding is incorrect, the Examiners are respectfully requested to telephone Applicants' undersigned attorney at the below listed local telephone number.

Respectfully submitted,


Robert E. Bushnell,
Attorney for the Applicant
Registration No.: 27,774

1522 "K" Street N.W., Suite 300
Washington, D.C. 20005
(202) 408-9040

Folio: P56382
Date: 2/2/05
I.D.: REB/kf